

TRITON



DOUBLE CAB STANDARD
SPECIFICATIONS



Models	GL	GLS	GLS	GLS	Bi-Turbo
Engine Detail	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Type	4WD	4WD	2WD	4WD	4WD
Transmission Type	Manual	Manual	Auto	Auto	Auto
General					
Transmission Type	5 speed	6 speed	6 speed	6 speed	6 speed
Max. Output:	81kW@4000rpm	135kW@3500rpm	135kW@3500rpm	135kW@3500rpm	150kW@3500rpm
Max. Torque:	200Nm@1000-3750rpm	430Nm@2250-2500rpm	430Nm@2250-2500rpm	430Nm@2250-2500rpm	470Nm@2250-2500rpm
Engine Type:	DOHC Intercooled	DOHC Intercooled Turbo	DOHC Intercooled Turbo	DOHC Intercooled Turbo	DOHC Intercooled Turbo
Ground Clearance:	221mm	228mm	228mm	228mm	228mm
Fuel System:	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection
Fuel Tank Capacity:	75L	75L	75L	75L	75L
Drivetrain and Chassis					
2WD	-	-	■	-	-
Easy Select 4WD	■	-	-	-	-
Super Select 4WD-II	-	■	-	■	■
Rear differential lock (without limited slip differential)	-	■	-	■	■
Front suspension (Double wishbone with coil spring)	■	■	■	■	■
Rear suspension (Nomal type)		■	■	■	■
Rear suspension (Elliptic leaf spring)	■	■	■	■	■
Rear suspension (Heavy duty type)	■	-	-	-	-
Front ventilated disk brake, 2-pot (diameter: 290mm)	■	-	-	-	-
Front ventilated disk brake, 2-pot (diameter: 320mm)	-	■	■	■	■
Rear drum brake (11,6-inch)	■	■	■	■	■
Tyre and wheel205R16C 8PR 110/108R with 16-inch steel wheels (Silver)	■	-	-	-	-
265/60R18 (All-season tyre with 18-inch alloy wheels (Metallic black) Spare: 265/60R18 (All-season) tyre + 18-Inch alloy wheel (Black)	-	■	■	■	■
Driving Performance					
Drive Mode	-	■	-	■	■
Active Yaw Control [AYC]	-	■	-	■	■
Hill Start Assist [HAS]	■	■	■	■	■
Exterior					
Windscreen glass (Laminated glass with UV ray reduction)	■	■	■	■	■
Front bumperMaterial black	■	-	-	-	-
	Gloss black	-	■	■	■
Front bumper garnishMetallic black	-	■	■	■	■
Front fog light bezelMetallic black	-	■	■	■	■
Front grilleMaterial black	■	-	-	-	-
	Colour-keyed	-	■	■	■

Models		GL	GLS	GLS	GLS	Bi-Turbo
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Type		4WD	4WD	2WD	4WD	4WD
Transmission Type		Manual	Manual	Auto	Auto	Auto
Exterior						
Wiper	Front windscreen - Variable Intermittent wiper (2-speed)	■	■	■	■	■
	Rain-sensing windscreen wiper	-	■	■	■	■
Windscreen washer (Nozzle type)		■	■	■	■	■
Rear window defogger with timer		■	■	■	■	■
Side step	Material black	■	■	■	■	■
Side door garnish (Material black)		■	-	-	-	-
Outer door handle	Material black	■	■	■	■	■
Door mirror	Electrically adjustable	■	■	■	■	■
	Heated Power folding mirror	-	■	■	■	■
	Material black	■	■	■	■	■
Rear bumper		■	■	■	■	■
Rear spoiler		-	■	■	■	■
Rear gate handle	Pull-up type	■	-	-	-	-
	Material black	■	■	■	■	■
Rear gate lock		■	■	■	■	■
Rear gate assist		-	■	-	■	■
Roof Rails	Inner hook x4	-	-	-	-	■
Styling Bar		-	-	-	-	■
Cargo bed	Inner hook x4	■	■	■	■	■
Towing hook (Front)		■	■	■	■	■
Cockpit						
Multi-information display (3.5-inch colour LCD display)		■	-	-	-	-
	(7-inch colour LCD display)	-	■	■	■	■
Urethane steering wheel (3-spoke type)		■	-	-	-	-
Leather-wrapped steering wheel (3-spoke type)		-	■	■	■	■
Tilt and telescopic steering wheel		-	■	■	■	■
Gearshift Knob (Leather-wrapped)		-	■	■	■	■
Gearshift lever boot (Synthetic leather with stitch)		-	■	■	■	■
Parking brake lever		■	■	■	■	■
Release switch	Material	■	-	-	-	-
	Chrome	-	■	■	■	■

Models		GL	GLS	GLS	GLS	Bi-Turbo
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Type		4WD	4WD	2WD	4WD	4WD
Transmission Type		Manual	Manual	Auto	Auto	Auto
Seat						
Seat material	Fabric with stitch	■	-	-	-	-
	Leather	-	■	■	■	■
Driver seat	Manual adjustable seat (Sliding, reclining)	■	-	-	-	-
	Power seat (Sliding, reclining double-height, lumbar support)	-	■	■	■	■
Passenger seat	Manual adjustable seat (Sliding, reclining)	■	■	■	■	■
Seatback pocket with multiple pockets (Passenger side)		■	■	■	■	■
Front seat height adjustable headrest		■	■	■	■	■
Rear centre armrest (with cup holder)		■	■	■	■	■
Interior						
Instrument panel accent	Material back	■	-	-	-	-
	Synthetic leather wrapped without stitch	-	■	■	■	■
Upper glove box	without lid	■	-	-	-	-
	with lid	-	■	■	■	■
Floor console	Material Black	-	■	■	■	■
Floor console box	with lid	■	-	-	-	-
	with lid (Synthetic leather)	-	■	■	■	■
Cup holder for floor console x2		■	■	■	■	■
Central door locking system		■	■	■	■	■
Speed sensing automatic central door lock		■	■	■	■	■
Child safety lock		■	■	■	■	■
Remote keyless entry		■	■	■	■	■
Keyless Operation System [KOS]		-	■	■	■	■
Inner door handle	Material black	■	-	-	-	-
	Satin chrome	-	■	■	■	■
Front door armrest	Material black	■	-	-	-	-
	Synthetic leather without stitch	-	■	■	■	■
Power window switch panel (Material black)		■	■	■	■	■
Driver side door power window switch (Auto up/down and anti trap-function)		■	■	■	■	■
Passenger side and rear door power window switch (Up and down)		■	■	■	■	■

Models		GL	GLS	GLS	GLS	Bi-Turbo
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Type		4WD	4WD	2WD	4WD	4WD
Transmission Type		Manual	Manual	Auto	Auto	Auto
Interior						
Key-off timer fuction		■	■	■	■	■
Room light	Front (Bulb)	■	■	■	■	■
	Rear (Bulb)	■	■	■	■	■
Front map light (Bulb)		■	■	■	■	■
Sunglass pocket		■	■	■	■	■
Sunvisor x2	Vanity mirror with lid and ticket holder (Driver's side)	■	■	■	■	■
	Vanity mirror with lid (Passenger's side)	■	■	■	■	■
Dimming rearview mirror		-	■	-	■	■
Air Conditioner						
Manual air conditioning		■	-	-	-	-
Automatic air conditioning		-	■	■	■	■
Dual-zone automatic air conditioning		-	■	■	■	■
Rear air circulator		-	■	■	■	■
Safety and Security						
Active Stability and Traction Control [ASTC]		■	■	■	■	■
Emergency Stop Signal system [ESS]		■	■	■	■	■
Brake override system		■	■	■	■	■
Anti-lock Braking system [ABS]		■	■	■	■	■
Electronic Brake force Distribution [EBD]		■	■	■	■	■
Brake assist system		■	■	■	■	■
Parking sensor (Front and rear)		-	■	■	■	■
Cruise Control		-	■	■	■	■
Hill Descent Control [HDC]		-	■	-	■	■
Immobiliser		■	■	■	■	■
Passive safety	SRS airbag (Driver, passenger, driver's knee)	■	-	-	-	-
	SRS airbag (Driver, passenger), Side (fr), Curtain (Fr and Rr), Knee (driver)	-	■	■	■	■
	Passenger SRS airbag cut-off switch (Manual)	-	■	■	■	■
	Front 3-point seat belt with Emergency Locking Retractor [ELR]	■	■	■	■	■
	Double pretensioner (Driver) and pretensioner (Passenger)	■	■	■	■	■
	Height adjustable front seatbelt anchor	-	■	■	■	■
	Rear seat 3-point seatbelt with ELR	■	■	■	■	■
	ISOFIX child restraint seat anchor and tether anchor Rear x2	■	■	■	■	■

Models		GL	GLS	GLS	GLS	Bi-Turbo
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Type		4WD	4WD	2WD	4WD	4WD
Transmission Type		Manual	Manual	Auto	Auto	Auto
Safety and Security						
Mitsubishi Motors Safety Sensing	Adaptive Cruise Control [ACC] with steering switch	-	-	-	-	■
	Automatic High Beam [AHB]	-	-	-	-	■
	Forward Collision Mitigation system [FCM] with pedestrian detection	-	-	-	-	■
	Lane Change Assist [LCA]	-	-	-	-	■
	Rear Cross Traffic Alert [RCTA]	-	-	-	-	■
	Lane Departure Warning [LDW]	-	-	-	-	■
	Blind Spot Warning [BSW]	-	-	-	-	■
	Parking sensor (Front & Rear)	-	-	-	-	■
Navigation and Audio						
Smartphone-link Display Audio [SDA] (8-inch WVGA display)		■	-	-	-	-
Smartphone-link Display Audio [SDA] Navigation system (9-inch WVGA display)		-	■	■	■	■
Speaker	2-speaker	■	-	-	-	-
	6-speaker	-	■	■	■	■
Hands-free phone and voice recognition		■	■	■	■	■
Steering wheel audio control		■	■	■	■	■
Lighting and Visibility						
Halogen headlight		■	-	-	-	-
LED headlight (High/low beam)		-	■	■	■	■
Auto light system with off switch		-	■	■	■	■
LED Daytime Running lamps [DRL]		-	■	■	■	■
Front turn signal (Bulb)		■	■	■	■	■
Side turn signal	Bulb type on bumper	■	-	-	-	-
	LED on door mirror	-	■	■	■	■
Position (Clearance) light	Bulb	■	-	-	-	-
	LED	-	■	■	■	■
Front fog light (LED)		-	■	■	■	■
Rear fog light (LED)		-	■	■	■	■
Stop light	Bulb	■	-	-	-	-
	LED	-	■	■	■	■
Tail light	Bulb	■	-	-	-	-
	LED	-	■	■	■	■
Rear turn signal		■	■	■	■	■

Models		GL	GLS	GLS	GLS	Bi-Turbo
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Type		4WD	4WD	2WD	4WD	4WD
Transmission Type		Manual	Manual	Auto	Auto	Auto
Lighting and Visibility						
Back-up light (Bulb)		■	■	■	■	■
License plate light (Bulb)		■	■	■	■	■
LED high-mount stop light		■	■	■	■	■
Welcome light		-	■	■	■	■
Coming home light		-	■	■	■	■
Convenience						
12V power outlet	Floor console	-	■	■	■	■
	Instrument panel	■	■	■	■	■
USB port for charging x2 (Rear console)		-	■	■	■	■
Rearview camera		-	■	■	■	-
Multi around monitor		-	-	-	-	■
Hands-free phone		■	■	■	■	-
Microphone		■	■	■	■	■
Wireless charger		-	■	■	■	■
USB charging outlet x2		-	■	■	■	■
Jack and Tool set (Simple set, wheelnut wrench)		■	■	■	■	■
Mass & Dimensions						
Tare/Kerb Weight (kg)		1865	1965	1865	1965	2035
G.V.M (kg)		2755	3000	2980	3000	3020
G.C.M (kg) (if applicable)		4100	6000	6000	6000	6150
Length (mm)		5320	5320	5320	5320	5360
Height (mm)		1775	1795	1795	1795	1815
Width (mm)		1865	1865	1865	1865	1930
Wheelbase (mm)		3130	3130	3130	3130	3130
Towing capacity - braked (kg)		-	3500	3500	3500	3500
Towing capacity - unbraked (kg)		-	750	750	750	750

Note: **•ASTC:** The control capabilities of Active Stability and Traction Control [ASTC] are supplemental only. Please drive safely and never rely solely on these functions whilst driving. Be sure to use the same specified type and size of tyres on all 4 wheels. Do not install any aftermarket limited slip differential on your vehicle. **•HSA:** Hill Start Assist [HSA] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. Your vehicle may move backwards if the brake pedal is heavily loaded, or if the road is very steep or slippery. This function is not designed to keep the vehicle stopped in place on uphill slopes for more than 2 seconds. Do not rely on this function to maintain a stopped position as an alternative to depressing the brake pedal. **•HDC:** Hill Descent Control [HDC] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. When driving on slippery roads such as muddy, icy, or unpaved roads, your vehicle will not allow you to stay at a certain low speed, which may lead to a serious accident.

Drivers are fully responsible for their own safe driving. Please drive safely and do not rely solely on these systems whilst driving. Please see the owner's manual for additional information. If you have any questions, please consult your local MITSUBISHI MOTORS dealer/distributor for details.

■ Standard — Not available □ Optional



All-new
150kW 2.4L
Bi-Turbo Diesel

Additional Features

- Roof rails
- Multi Around Monitor
- Styling bar
- Rear gate assist
- Heated door mirrors


Mitsubishi Motors Safety Sensing

- Adaptive Cruise Control [ACC] with steering switch
- Automatic High Beam [AHB]
- Forward Collision Mitigation system [FCM] with pedestrian detection
- Lane Change Assist [LCA]
- Rear Cross Traffic Alert [RCTA]
- Lane Departure Warning [LDW]
- Blind Spot Warning [BSW]
- Parking sensor (Front & Rear)



Adaptive Cruise Control (ACC)

Lane Departure Warning (LDW)



Blind Spot Warning (BSW)

Forward Collision Mitigation (FCM)

Manufacturer's Warranty: 5 year / unlimited Mileage. Road Side Assistance: 5 year Unlimited Mileage.
Service Plan: 5 year / 90 000km. Service Intervals: Every 10 000km / 1 year

No responsibility is accepted for any errors or omissions. This content is not binding and Mitsubishi Motors reserves the right to make modifications without prior notice. All specifications subject to change without prior notice.



**MITSUBISHI
MOTORS**

Drive your Ambition